


## SST Flip-UP

### Highest quality seat



SP-1043433 Charcoal/Gray

High density foam cushions for maximum comfort  
Premium high quality upholstery with marine grade vinyl.  
Flip up bolster for standing or leaning positions.



## OZARK BASS SEATS FLIP-UP

The Ozark Bass seat is available in a variety of options and styles, with premium high quality upholstery and cushions and a rigid injection molded frame for maximum support and comfort.



SP-1043224-B Black/Gray



- Premium Upholstery
- Weather resistant marine grade vinyl
- Universal mounting pattern: 5" x 5" & 5" x 12"



## DELUXE SPORT FLIP-UP

Comfort and support seat, flip-up bolster for standing or leaning positions. Blow molded frame, with molded foam. Premium high quality upholstery with marine grade vinyl.


- Flip-up bolster
- Light weight blow molded frame
- Weather resistant marine grade vinyl
- Universal mounting pattern: 5" x 12"



SP-1043253 Charcoal/White




SP-1043295 Ozone White/Meteor



Seat Dimensions

## FISH PRO HIGH BACK



Exceptional high back contour lumbar cushion cradles your back for maximum support. Designed for style, comfort, and durability. Optional armrests can be added (sold separately). Deep pocket on back of seat.

- Concealed pinch proof hinges
- Weather resistant marine grade vinyl
- Universal mounting pattern: 5" x 5" & 5" x 12"



SP-1041633 Charcoal/Gray



SP-1041631 Blue/Gray



## FISH PRO II HIGH BACK



SP-1041419 Blue/Gray



Premium upholstery and cushions are designed to provide maximum comfort and quality. Backrest is fitted with ergonomically molded cushions and extended sides for extra support. Durable injection molded shell with hinge allows seat to fold down flat.

- High Back - Folds down easily
- Weather resistant marine grade vinyl
- Universal mounting pattern 5" x 12"



SP-1041483 Charcoal/Gray



### High Back Seats - Multi Color

Image	Part Number	Description
A.	1040661	High Back, Folding Seat - Gray & Blue
B.	1040663	High Back, Folding Seat - Gray & Charcoal
C.	1040665	High Back, Folding Seat - Gray & Red

- Folds down easily
- Weather resistant marine grade vinyl
- Heavy-duty powder coated hinges
- Universal mounting pattern: 5" x 5"



SP-1040663 Gray/Charcoal




SP-1040661 Gray/Blue



SP-1040665 Gray/Red

Now a comfortable cushioned high back seat to support your backside. Rigid injection molded frame. Durable strap with snap to keep seat secure when folded down.





## SKIPPER PREMIUM HB



Seat Dimensions

External injection molded frame for structural support. Premium high quality upholstery and cushions for maximum support and comfort. Subtle curves provide lumbar support. Weather resistant marine grade vinyl.

- Premium High Back seat
- Folds down easily
- Optimal UV protection
- T-nuts installed into seat for better mounting durability
- Universal Mounting Pattern: 5" x 5" & 5" x 12"



SP-1061067 Grey, Charcoal/Meteor

## SKIPPER PREMIUM LB



Seat Dimensions

External injection molded frame for structural support. Premium high quality upholstery and cushions for maximum support and comfort. Subtle curves provide lumbar support. Weather resistant marine grade vinyl.

- Premium Low Back seat
- Folds down easily
- Optimal UV protection
- T-nuts installed into seat for better mounting durability
- Universal Mounting Pattern: 5" x 5"



ST-1061079 Gray, Blue/Meteor

## SKIPPER STANDARD



Seat Dimensions

Injection molded seats with interlocking hinge for greater structural support. Extra wide seat with high quality upholstery for all day comfort.



SP-1061017 Gray/Charcoal

# SKIPPER SEAT



Blue/White **OC-703-31**






Shell **OC-703**



Grey/Charcoal **OC-703-33**



- Deluxe model, stylish high back folding seat. High - impact polymer shell.
- UV treated shell resists deterioration/fading.
- UV resistant fabric by **OMNOVA**.
- Professionally tailored top-stitched 3 & 5 panel designs.
- Rear storage pocket on back rest.
- Dense laser cut foam cushions.
- Suits standard 7" swivels or Titan Swivel.



# DELUXE FOLDING SEAT



Grey **OC-704-11**



Charcoal/Grey **OC-704-33**



Grey/White **OC-704-32**

- Comfortable thick moulded foam cushions.
- UV resistant fabric by **OMNOVA**.
- Large aluminium powder coated hinges.
- Suits standard 7" swivels or Titan Swivel.
- Heavy duty moulded plastic inner frame.

# SIROCCO FOLDING SEAT






Charcoal/Grey **OC-705-35**






Grey/Charcoal **OC-705-33**

- Ergonomically moulded seat frame
- UV resistant fabric by **OMNOVA**.
- Contoured dense foam core
- Positive lock Fold down back
- Top stitched panelled design
- Suits standard 7" swivels or Titan Swivel.



Oceansouth introduces the only ergonomically designed folding boat seat in the market, designed to bring a new level of style and comfort.

The generously cushioned wider seat and contoured back team together to provide truly comfortable seating





# FISHERMAN SEAT



Blue/White **OC-702-21**

Shell **OC-702**



Grey/Charcoal **OC-702-23**






Comouflage **OC 702-15**



Grey/White **OC-702-22**

- Low back, moulded folding seat, high - impact polymer shell.
- UV treated shell resists deterioration/fading.
- UV resistant fabric by OMNOVA.
- Suits standard 7" swivels or Titan Swivel.



## BOAT SEAT COVER

### DUAL PURPOSE COVER



**OC-780-1**  
Small

Easy to fit and an effective solution to protecting your seats from weathering and deterioration.

- Dope dyed polyester 240 g/m<sup>2</sup> - 7.08 oz/yd<sup>2</sup>.
- Surround shock cord in hem for a tight fit around bench or pedestal mounted seats.



Small **OC-780-1**

SUITABLE FOR  
FIXED OR FOLDING SEATS.

**Small Cover (MA 780-1) suits:**  
Small folding or pedestal seats.  
Fold away design, covers seat when folded down,  
secured in place with woven strap (supplied).

### Stand-Up Seats

Image	Part Number	Description
A.	1040211	Pro Stand-Up Seat - Blue
C.	1040213	Pro Stand-Up Seat - Gray
D.	1040214	Pro Stand-Up Seat - Tan
B.	1040212-NS	Stand-Up Seat, Economy - Black
C.	1040212	Pro Stand-Up Seat - Black

Pro Stand-Up Seat



**SP-1040211**  
Pro Stand-Up Seat



**SP-1040213**



**SP-1040214**



**SP-1040212**




**SP-1040212-NS**

Bicycle style seat comes with foam padding covered in marine grade vinyl. Plastic substrate; no more wood to rot out! Compact design allows for more room when standing up to fish. Whether you sit or lean against this seat, it provides comfort and stability.

- Available in a variety of colors
- Universal mounting pattern: 5" x 5"

Pro Stand-Up seats include external cover for comfort.



NEW PRODUCT



NEW PRODUCT

Waverider  
Socket Pedestal



- Sold as a complete unit.
- Gas operated.
- Aluminium anodised shaft - Ø75mm / Ø65 mm.
- Reinforced Nylon swivel top.
- Reinforced Nylon socket base.

CODE	HEIGHT
MA 778-1	370mm - 450mm
MA 778-2	500mm - 630mm
MA 778-3	580mm - 710mm

## Waverider Socket Pedestal



Adjustable

Shock absorb

21070



Sold also Separately

- Sold as a complete unit.
- Gas operated.
- Aluminium anodised Ø75mm / Ø65 mm shaft.
- Reinforced Nylon top.
- Reinforced Nylon Socket base.

CODE	SIZE
MA 776-1	310mm - 390mm (12" -15")
MA 776-2	440mm - 570mm (17" -22")
MA 776-3	520mm - 650mm (20" -26")
21070	Socket base



## FIXED SEAT PEDESTAL



OCEANSOUTH

- Aluminium anodised Ø75mm shaft
- Powder coated aluminum casted Ø230mm base
- Nylon top

CODE	SIZE
OC-772-1	330mm (13")
OC-772-2	450mm (18")

## ADJUSTABLE SEAT PEDESTAL



OCEANSOUTH

- Aluminium anodised Ø75mm shaft
- Powder coated aluminum casted Ø230mm base
- Nylon top

CODE	SIZE
OC-773-1	330mm - 480mm (13" - 19")
OC-773-2	450mm - 635mm (18" - 25")

## WAVERIDER PEDESTAL



- Gas operated

The **Waverider pedestal** is the ultimate in convenience and comfort. Being gas powered, it allows easy adjustment of the seat height for each individual. Additionally, it acts as a shock absorber to smooth out the ride in rough seas.


CODE	SIZE
OC-774-1	340mm - 450mm (14" - 18")
OC-774-2	500mm - 630mm (20" - 25")
OC-774-3	580mm - 710mm (23" - 28")

## SEAT SWIVEL



MA 760

- Seat swivel 7" (177mm) diagonal.
- Suits most standard seats and pedestals.
- Nylon slide runner.
- Black EDC coated steel protects against corrosion.



CODE	SIZE
OC-760	7" (177mm)

OCEANSOUTH

## OCEANSOUTH TITAN SWIVEL



OC-765-2




OC-765-3

Seat slides smoothly on to base.




To remove the seat simply push the release clip up and push the back of the seat forward.



CODE	DESCRIPTION
OC-765-2	Titan Swivel top & base only
OC-765-3	Titan Swivel base only

## BOAT SEAT PEDESTALS



- Black EDC coated steel protects against corrosion.
- Top and base are 7" (177mm) diagonal.



OC-770-3



OC-770-1



OC-770-2


CODE	DESCRIPTION	HEIGHT
OC-770-1	Seat pedestal	7" (177mm)
OC-770-2	Seat pedestal	13" (330mm)
OC-770-3	Adjustable seat pedestal	12-18" (305-457mm)

- Heavy duty 2.5mm metal thickness, tube diameter 76mm.
- Suitable for most standard seats.

# Plug-In™ Series



Part Number	Description	Size	Finish
3300750-1	2-3/8" Base	9"	Satin
3300751-1	2-3/8" Hi-Lo Base	9"	Satin
3301750-1	2-3/8" Flush Mount	9"	Satin



9" round aluminum base with 8" mounting hole pattern. Below the deck mount (requires a 3-3/4" hole in deck). Surface mount (E.) does not require a hole in deck. Use with any 2-3/8" Plug-In™ post (sold separately).

SP-3300750-1



SP-3300751-1



SP-3301750-1



Prisukamas iš viršaus, nereikia gręžti skylės!!!

No need to drill the hole!!!



## Power-Rise Stand-Up Posts

Image	Part Number	Description
B.	1301038	Power-Rise Stand-Up Package

High-strength aluminum pedestal. Adjusts from 22-1/2" to 29-1/2". Fits any 2-3/8" Plug-In™ base (sold separately).



SP-3301750-1



SP-3300751-1  
SP-3301751-1

Plug-In™ Posts Are Rated ABYC Class H-31 B





Can cut to 30cm need to grind!!!

Galima trumpinti 30cm

Sutrumpinus reikia prisifioti!!!



2 3/8" DIAMETER POST



## Power-Rise Air-Ride Posts

Retail			
Image	Part Number	Description	Adjusts
A.	3300901	Locking Air-Ride Posts	14-1/4" to 21"


Posts can be locked in position to prevent rotating or unlocked to rotate freely. Provides safe, stable seating. Fits any 2-3/8" Plug-In™ base (sold separately).



SP-3301750-1



SP-3300751-1  
SP-3301751-1



2 3/8" DIAMETER POST



Plug-In™ Posts Are Rated ABYC Class H-31 B



## EXT Adjustable Posts

Image	Part Number	Description	Adjusts
A.	3300820-810	EXT Air-Ride Post	13" to 16"

Adjustable, high-strength aluminum post with anodized finish. Lock in position to prevent rotating or unlock to rotate freely. Use with EXT air-ride slide. Fits any 2-3/8" Plug-In™ base (sold Separately).



SP-3301750-1





SP-3300751-1  
SP-3301751-1

EXT Air-Ride Posts Are Rated ABYC Class H-31 AD



2 3/8" DIAMETER POST





# Plug-In™ Series



## Power-Rise Air-Ride Package

Part Number	Description	Adjusts
3300601	Locking Trac-Lock™ Swivel	13-1/4" to 17-1/4"




High-strength aluminum post, adjusts from 13-1/4" to 17-1/4". Includes Trac-Lock™ locking or non-locking air-ride swivel. Fits any 2-3/8" Plug-In™ base (sold separately).



SP-3301750-1



SP-3300751-1  
SP-3301751-1



Plug-In™ Packages Are Rated  
ABYC Class H-31 AD & AP



## 2-3/8" Locking Post With Latch

Part Number	Description	Height
3300835-800	Locking Post EXT	14"

High-Strength Aluminum Post, Anodized Finish.  
With EXT Locking Slide.  
Latch Secures Post To Base.  
Use With 2-3/8" Plug-In™ Bases (sold separately)



SP-3301750-1



SP-3300751-1  
SP-3301751-1



SP-3300835-800



Plug-In™ Posts Are  
Rated ABYC Class H-31 AD



## 2-3/8" 3-Piece Pedestal Sets

Hi-Lo 3-Piece set (A.) includes the following parts:

- Plug-In™ Hi-Lo swivel seat mount (#1312700)
- Plug-In™ Hi-Lo fixed height post, anodized finish
- Plug-In™ 9" diameter base, satin finish (#1300751-1)

Locking 3-Piece set (B.) includes the following parts:


- Trac-Lock™ locking swivel seat mount (#1100031-L1)
- Plug-In™ fixed height post, anodized finish
- Plug-In™ 9" diameter base, satin finish (#1300750-1)



SP-1300715-LFM



SP-1300715-HLFM



15" (A.)




SP-1300715-L1



SP-3300820-810  
SP-1300715-HL

3-Piece Packages Are Rated  
ABYC Class H-31 AD & B



15" (B.)

# Thread-Lock™ Series



Image	Part Number	Description	Unit Height
A.	1793113	3-Piece Set (for fishing)	15-1/2"
B.	1793313	3-Piece Set (for use underway)	14"

Retail packages are packed in clamshell with 4 color label.

## 3-Piece set (A.) includes the following parts:

- Thread-Lock™ 13" fixed height post (#3793213)
- KingPin™ swivel seat mount (#1615201-EC)
- Thread-Lock™ 9" base (#3790001-SL)

## 3-Piece set (B.) includes the following parts:

- Thread-Lock™ 13" fixed height post (#3793013-A)
- Trc-Lock™ non-locking swivel seat mount (#1100031-1)
- Thread-Lock™ 9" base (#3790001-SL)



3-Piece Sets Are Rated  
ABYC Class H-31 AP & B



## Removable 7" x 7" Seat Brackets



Removable Brackets Are  
Rated ABYC Class H-31 B



SP-3100018/15




SP-3100007/15



Image	Part Number	Description
A.	3100015	Removable Seat Bracket

7" x 7" removable seat bracket.  
Non-locking seat swivel, rotates 360°.  
Swivel has e-coat finish to resist corrosion.



SP-3100015

## 12-Way Locking Swivels


Part Number	Description	Finish
SP-3100018	3-Degree Locking Swivel	E-Coat

6-3/4" square x 1-1/8" high, with 4 hole mounting pattern.  
Locking swivel, rotates 360°. Available in two finishes:  
e-coat finish or stainless steel.

Patent #5,782,451



SP-3100018



12-Way Swivels Are Rated  
ABYC Class H-31 AD



## Non-Locking Swivels



Non-Locking Swivels Are  
Rated ABYC Class H-31 B




Part Number	Description
3100024	Degree Non-Locking Swivel

6-3/4" square x 1-1/8" high, with 4 hole mounting pattern.  
0-degree or 3-degree non-locking swivel, rotates 360°.  
Available in two finishes: e-coat finish or stainless steel.

Patent #5,782,451



A SP-3100007





## QUICK LIFT ROD HOLDERS



OC-108-1

**2 in 1 Rod Holder**  
Available in  
Rod Holder  
and Rail Mount.




- Tapered spacer for secure fit into 30° deck mount rod holder.
- Adjustable thumbscrew ratchet allows rod holders to be set at desired angle.
- Holders made from tough glass filled polymer.

CODE	DESCRIPTION
OC-108-1	2 in 1 Rod holder mount



Extending the  
Telescopic Boat Hook



### FEATURES

- White powder coated 30mm alloy shaft.
- Rubber hand grips.
- High strength polypropylene hook.

### SIZES

CODE	DESCRIPTION	DIAMETER	LENGTH
OC-004	BOAT HOOK TELESCOPIC	25-30mm	1180mm - 2040mm
OC-005	BOAT HOOK TELESCOPIC SMALL	25-30mm	600mm - 1050mm




## SEA ANCHOR DROGUE



Ideal for fishing, our Sea Anchor Drogue is constructed with tough PVC rip-stop fabric, reinforced nylon straps, and continuous webbing for added strength.

- Tough PVC rip-stop fabric.
- Opening reinforced with 50mm webbing.
- Reinforced construction - woven polyester straps.
- Continuous webbing for added strength.
- Slows boat rate of drift.
- Ideal for fishing.
- Available in 4 sizes.



CODE	WIDTH	LENGTH	SUITS BOAT LENGTH
OC-10071	600mm	530mm	15ft
OC-10072	800mm	700mm	20ft
OC-10073	1070mm	1100mm	25ft
OC-10074	1350mm	1400mm	30ft

## Rod Holder Oval 30°



OC-21174



OC-21175

- Robust UV stabilized polypropylene rod holder with a large Oval shaped head.
- Flush mount with bevelled edge, 30 degree angled shaft.
- Moulded rod gimbal in the shaft base.

CODE	HEAD SIZE	SHAFT I.D.	LENGTH	COLOUR
21174	115mm x 90mm	43mm	240mm	Black
21175	115mm x 90mm	43mm	240mm	White

CODE	DESCRIPTION	LENGHT
AKS-84-017	UNIVERSAL OUTBOARD BOAT MOTOR TILLER EXTENSION	66cm.
AKS-84-016	UNIVERSAL TELESCOP OUTBOARD BOAT MOTOR TILLER EXTENSION	85 - 114cm.



- Heavy duty anodised aluminium 25mm tubing.
- Rubber - coated gunwale hooks with cushioned tips.
- Hooks and fend off feet fold flat for compact storage.
- Tough white moulded non-slip step.
- Reinforced plastic fend off feet.

MA040 Retracted



### FEATURES

- Ladder width 320mm.
- 316 grade stainless steel fasteners.
- High polish 25mm stainless steel.
- Heavy duty hinged bracket.

CODE	STEPS	LENGTH RETRACTED	LENGTH RETRACTED
OC-040	2	600mm	350mm



# KVĖPUOJANČIOS, NELAIDŽIOS VANDENIUI MEDŽIAGOS TENTAI





PREMIUM WOVEN  
POLYESTER FABRIC

MA 601



Full cut allows ample room to outboard motor.




Semi-custom fitted bow for a smoother fit.



Storage bag included



HOW TO MEASURE BOAT...



OCEANSOUTH  
AUSTRALIA

CODE	OC-601 - 1	OC-601 - 2	OC-601 - 3	OC-601 - 4	OC-601 - 5	OC-601 - 6	OC-601 - 7
BOAT LENGTH	2.30 - 2.60m	2.60 - 2.90m	2.90 - 3.20m	3.20 - 3.60m	3.60 - 3.90m	3.90 - 4.30m	4.30 - 4.70m
MAX. BEAM WIDTH	1.50m	1.55m	1.65m	1.75m	1.90m	2.00m	2.10m
OVERALL COVER FABRIC (LENGTH)	3280mm	3580mm	3930mm	4330mm	4650mm	5112mm	5510mm
OVERALL COVER FABRIC (WIDTH)	2350mm	2450mm	2550mm	2660mm	2810mm	3000mm	3100mm

OVERALL FABRIC MEASUREMENTS





OC-202




PREMIUM WOVEN  
POLYESTER FABRIC

SUITS OPEN BOATS  
AVAILABLE IN 9 SIZES



CODE	OC-202 - 3	OC-202 - 4	OC-202 - 5	OC-202 - 6	OC-202 - 7	OC-202 - 8	OC-202 - 9	OC-202 - 10	OC-202 - 11
BOAT LENGTH	3.50 - 3.70m	3.70 - 3.90m	3.90 - 4.10m	4.10 - 4.30m	4.30 - 4.50m	4.50 - 4.70m	4.70 - 5.00m	5.00 - 5.30m	5.30 - 5.60m
MAX. BEAM WIDTH	1.60m	1.70m	1.80m	1.95m	2.05m	2.05m	2.25m	2.25m	2.25m
OVERALL COVER FABRIC (LENGTH)	4300mm	4500mm	4700mm	4900mm	5100mm	5300mm	5600mm	5900mm	6200mm
OVERALL COVER FABRIC (WIDTH)	2050mm	2150mm	2250mm	2400mm	2500mm	2500mm	2700mm	2700mm	2700mm

OVERALL FABRIC MEASUREMENTS



CYCLONE PROTECT™  
PREMIUM WOVEN POLYESTER FABRIC  
WITH NON WOVEN BACKING

- UV Resistant
- 320 gsm Polyester Canvas.
- Breathable
- Weather Proof.
- Water Resistant.



Reinforced Top-stitched seams.




Drawstring & zipper size #10 for a secure snug fit.




AVAILABLE IN 6 SIZES

CODE	FITS ENGINE SIZES	LENGTH	WIDTH	HEIGHT
OC-074-1	Up to 15hp	520mm	270mm	320mm
OC-074-2	15 to 30hp	560mm	300mm	400mm
OC-074-3	30 to 60hp	620mm	360mm	490mm
OC-074-4	60 to 100hp	680mm	400mm	530mm
OC-074-5	100 to 150hp	740mm	460mm	580mm
OC-074-6	175 to 250hp	820mm	500mm	600mm



AVAILABLE IN 8 SIZES

CODE	FITS ENGINE SIZES	CIRCUMFERENCE	HEIGHT
OC-075-1	Up to 6hp	1260mm	980mm
OC-075-2	8 to 15hp	1400mm	1100mm
OC-075-3	15 to 20hp	1500mm	1250mm
OC-075-4	20 to 30hp	1650mm	1370mm
OC-075-5	30 to 60hp	1800mm	1440mm
OC-075-6	60 to 100hp	2000mm	1700mm
OC-075-7	115 to 150hp	2260mm	1900mm
OC-075-8	175 to 250hp	2480mm	1970mm



OCEANSOUTH